




STANIC INDUSTRIAL
SUPPLIES & SERVICES (PTY) LTD


EDITION
1

SCAN ME



TALK TO US

 (084)723 7818
(064)501 3640

 sales@staniciss.co.za/sales1@stanicss.co.za

 51 Hillside Estate ,Boswell street ,Kempton Park

3M Science.
Applied to Life.™

uvex

JAVLIN
WORKWEAR

DUPONT™

Ansell

**STEEL
BLUE**
100% COMFORT

PROFIT
SAFETY FOOTWEAR

PREMIER
WORKWEAR



JONSSON
WORKWEAR

JTG
Industrial Safety Solutions

DOT
SAFETY FOOTWEAR

REBEL
SAFETY GEAR

GREENLINE
RESPIRATORY PROTECTION

Honeywell
THE POWER OF CONNECTED

**HOWARD
LEIGHT**

LEMAITRE

WAYNE

Sisi
SAFETY WEAR

BOVA

FRAMS
Affordable safety you can trust

BEF
SAFETY GROUP
Your trusted partner in safety

SWEET-ORB
WE NEVER LET YOU DOWN

REINOL

ATHOL

CAT

WELD-LITE



6800 FULL FACE PIECE

This face piece can be used with 6000 series cartridges, filters, adapters and retainers. Can also be used as a dual airline supplied air respirator system.

Sold: Individually or 4 per case

6700 (Small)
6800 (Medium)
6900 (Large)

3M Science.
Applied to Life.™



6500 SERIES HALF FACE MASK

The 6500 series provides extended product life due to resilient silicone material. Guarantees comfort and stability through a soft but firm silicone face seal. Also available with a Quick latch drop-down mechanism for easy "on and off" as one moves in and out of contaminated areas and 3M cool flow valves unique design to allow easier breathing.

Sold: Individually or 10 per case

6501QL (Small)
6502QL (Medium)
6503QL (Large)
6501 (Small)
6502 (Medium)
6503 (Large)

3M Science.
Applied to Life.™



6000 SERIES HALF FACE MASK

This face piece can be used with 6000 series cartridges, filters, adapters and retainers. Can also be used as a dual airline supplied air respirator system.

Sold: Individually or 8 per case

6100 (Small)
6200 (Medium)
6300 (Large)

3M Science.
Applied to Life.™



7500 SERIES REUSABLE HALF MASKS

The Silicone face piece can be used with 6000 series cartridges, filters, adapters and retainers. Note: This face piece can also be used as a dual airline-supplied air respirator system.

Sold: Individually or 10 per case

M7501 (Small)
M7502 (Medium)
M7503 (Large)

3M Science.
Applied to Life.™



4000 SERIES REUSABLE RESPIRATOR

Type: FFA1P1. Maximum usage. Organic vapours up to 10 x OEL. Particulates up to 4 x OEL.

Suggested applications: spray paint, pesticides.

Sold: Individually or 10 per case

M4251

3M Science.
Applied to Life.™



AIR MONITORING SYSTEMS

The economical, accurate way to monitor one's working environment. 3M Air Monitors are simple and effective devices that collect certain air-borne contaminants using the scientific principle of diffusion. They meet or exceed 25% accuracy and a 95% confidence level for many workplace contaminants.

Sold: Individually

M3500 (Organic Vapour)
M3551 (Ethylene Oxide)
M3721 (Formaldehyde)

3M Science.
Applied to Life.™



6038 ENCAPSULATED CARTRIDGE

Particulate Filters 6038 protect against solids and liquid particles P3R, HF up to 10 x TLV additionally against organic vapour and acid gases below OEL in a stable plastic cage for rough applications. Suitable for 3M 6000 and 3M 7000 Series Half Face and Full-Face Masks.

Sold: Per pair or 20 per box or 80 per case

M6038

3M Science.
Applied to Life.™

The Importance of Fit

Respiratory protection is only effective if it is correctly selected, fitted and worn throughout the time when the wearer is exposed to respiratory contaminants. Before assigning any respirator to be worn in a contaminated area, it is recommended to perform a face fit check before entering the workplace. These fitting instructions must be followed each time the respirator is worn.

DONNING YOUR 6500 AND 6500QL REUSABLE HALF MASKS



1

Adjust head cradle size as needed to fit comfortably on head. Place the mask over the mouth and nose with one hand, then pull the head harness over the crown of the head with the other hand.



2

Grasp the bottom straps, place them at the back of the neck and hook them together.



3

Pull the ends of the straps to adjust the tightness, beginning with the adjustment points on the head cradle and then moving to the adjustment points at the back of the neck. Do not over-tighten. Strap tension may be decreased by pushing out on back side of buckles.

USING THE 6500QL QUICK LATCH DROP DOWN FEATURE



IMPORTANT NOTICE: After initial donning of the 6500QL Quick Latch Half Mask, subsequent donning can be done with quick latch initially in open or closed position. Always follow the User Instructions.

QUICK LATCH CLOSED

PULL UP ON LATCH

QUICK LATCH OPEN

PULL DOWN ON LATCH

TO OPEN QUICK LATCH: Grasp the latch at chin level and pull up. TO CLOSE QUICK LATCH: Grasp the facepiece with your thumb on the bottom of the facepiece and your first two fingers on top of the latch. Place the facepiece over your nose and mouth while pushing down on the latch.



POSITIVE PRESSURE USER SEAL CHECK

Place the palm of your hand over the exhalation valve cover and exhale gently. The facepiece should bulge slightly. If air leaks between the face and the faceseal, reposition the respirator and/or adjust the straps for a more secure seal.



NEGATIVE PRESSURE USER SEAL CHECK USING 3M™ 2000 SERIES FILTERS

Place your thumbs on the center portion of the filters, restricting airflow through the filters, and inhale gently. The facepiece should collapse slightly closer to your face. If air leaks between the face and the faceseal, reposition the respirator and/or adjust the straps for a more secure seal.



NEGATIVE PRESSURE USER SEAL CHECK USING 3M™ 6000 SERIES GAS AND VAPOUR FILTERS

Place the palms of your hands over the cartridges and inhale gently. The facepiece should collapse slightly closer to your face. If air leaks between the face and the faceseal, reposition the respirator and/or adjust the straps for a more secure seal.



NEGATIVE PRESSURE USER SEAL CHECK USING 3M™ 6000 SERIES PARTICULATE FILTERS

Squeeze filter covers with hands toward facepiece to restrict airflow. Be careful not to disturb the position of the respirator. Inhale gently. The facepiece should collapse slightly. If air leaks between the face and the faceseal, reposition it and adjust the straps for a tighter seal.

If you cannot achieve a proper seal, do not enter a contaminated area. See your supervisor.



6051 CARTRIDGE

Type: A1. Use for protection against organic vapours. Used in industries such as vehicle and aircraft manufacture where conventional paint is used. Also suitable for use in adhesive manufacture.

Sold: Per pair or 8 per box or 64 per case

M6051

3M Science.
Applied to Life.™



6054 CARTRIDGE

Type: K1. Use for protection against ammonia and methylamine up to 10 x OEL.

Sold: Per pair or 8 per box or 64 per case

M6054

3M Science.
Applied to Life.™



6055 CARTRIDGE

6055i CARTRIDGE (with indicator)

These organic gas and vapour A2 filters have all the features you would find in standard 3M Gas and Vapour filters plus the 3M Service Life Indicator. Helps users in appropriate environments determine when to change filters. (the 'i' - indicates life of product)

Sold: Per pair or 8 per box or 64 per case

M6055

M6055i

3M Science.
Applied to Life.™



6057 CARTRIDGE

Type: ABE 1. Use for protection against organic vapours up to 10 x OEL.

A - Organic, B - Inorganic, E - Acid Gases

Sold: Per pair or 8 per box or 64 per case

M6057

3M Science.
Applied to Life.™



6059 CARTRIDGE

Type: ABEK1. Use for protection against ammonia, acid gases, organic and inorganic, up to 20 x WEL.

Sold: Per pair or 8 per box or 64 per case

M6059

3M Science.
Applied to Life.™



6075 CARTRIDGE

Type: A1 + formaldehyde. Use for protection against 10ppm formaldehyde, and organic gases up to 20 x WEL.

Sold: Per pair or 8 per box or 64 per case

M6075

3M Science.
Applied to Life.™



6096 ENCAPSULATED CARTRIDGE

Type: A1HgP3. Use for protection against mercury, vapour & particulates up to 10 x OEL.

Sold: Per pair or 8 per box or 64 per case

M6096

3M Science.
Applied to Life.™



501 RETAINER

The 3M Filter Retainer 501, Respiratory Protection System Component holds 3M Particulate Filters 5N11 and 5P71/07194 (AAD) in place on top of 3M Respirators 5000 Series, 3M Cartridges 6000 Series and 3M Filter Adapter 603.
Sold: Per pair or 20 per box or 100 per case

M501



502 FILTER ADAPTER

The 3M Filter Adapter 502, Respiratory Protection System Component attaches 3M Particulate Filters 2000/2200 Series and 7093/7093C to the 3M Respirators 5000 Series and 3M Cartridges 6000 Series.
Sold: Per pair or 20 per box or 100 per case

M502



2128 FILTER

Type: P2. Use for protection against particulates up to 10 x OEL & nuisance level organic vapour and acid gas relief.
Sold: Per pair or 20 per box or 80 per case

M2128



2135 FILTER

Type: P3. Use for grinding, sanding, asbestos, wood-working, foundries & mining up to 20 x OEL.
Sold: Per pair or 20 per box or 80 per case

M2135



2138 FILTER

Type: P3. Use for protection against particulates up to 20 x OEL & nuisance level organic vapour relief.
Sold: Per pair or 20 per box or 80 per case

M2138



5935 FILTER

Type: P3. Use for grinding, sanding, asbestos, wood-working, foundries, mining & as a pre-filter in gas and vapour combinations.
Sold: 20 per box or 80 per case

M5935



8810

Type: FFP2. Maximum usage level: 12 x TLV. Suggested applications: grinding, sanding, asbestos, bagging, wood-working, foundries, mining & other dusty operations. Manufactured in SA.
Sold: 20 per box or 240 per case

M8810



8822

Type: FFP2. Maximum usage level: 12 x TLV. Suggested applications: grinding, sanding, asbestos, bagging, wood-cutting, foundries, mining & other dusty operations.
Sold: 10 per box or 240 per case

M8822





9928

Type: FFP2 RD. Maximum usage level: 10 x TLV where ozone is present. Suggested applications: welding, brazing, soldering, torch-cutting, metal-pouring, grinding, sanding, sweeping, bagging plus other dusty or hot foundry or petrochemical operations. Contains soft inner face seal. Reusable in certain conditions.

Sold: 10 per box or 80 per case

M9928

3M Science.
Applied to Life.™



9322

Type: FFP2. Maximum usage level: 4 x TLV. Suggested applications: glass-etching, chemical manufacturing, paper processing, brewing operations & aluminium smelting.

Sold: 10 per box or 120 per case

M9322

3M Science.
Applied to Life.™



AURA 9332+

Type: FFP3. The Maximum use level is 12 x TLV. Suggested applications: Grinding, sanding, asbestos, bagging, wood-working and other dusty operations.

Sold: 10 per box or 120 per case

M9322

3M Science.
Applied to Life.™



1860

A healthcare particulate respirator. Adjustable nose clip, custom & secure seal, cushioning nose foam, braided head straps. Proprietary filter media, designed for ease of breathing. Fluid-resistant.

Sold: 10 per box or 120 per case

M1860 (Medium)
M1860S (Small)

3M Science.
Applied to Life.™



9152E VFlex

Type: FFP2. Respirator that provides comfortable, solid and professional protection at an affordable price. V shaped pleats that flex and expand with mouth movement for easier talking and breathing.

Sold: 25 per box or 300 per case

M9152E (Medium)

M9152ES (Small)

3M Science.
Applied to Life.™



9161E VFlex

Type: FFP1. Valved respirator that provides comfortable, solid and professional protection at an affordable price. V shaped pleats that flex and expand with mouth movement for easier talking and breathing.

Sold: 25 per box or 300 per case

M9161E (Medium)

M9161ES (Small)

3M Science.
Applied to Life.™



9162E VFlex

Type: FFP2. Valved respirator that provides comfortable, solid and professional protection at an affordable price. V shaped pleats that flex and expand with mouth movement for easier talking and breathing.

Sold: 15 per box or 300 per case

M9162E (Medium)

M9162ES (Small)

3M Science.
Applied to Life.™



9163E VFlex

Type: FFP3. Valved respirator that provides comfortable, solid and professional protection at an affordable price. V shaped pleats that flex and expand with mouth movement for easier talking and breathing.

Sold: 15 per box or 300 per case

M9163E (Medium)

M9163ES (Small)

3M Science.
Applied to Life.™



8835

Type: FFP3. Maximum usage level: Up to 50 X TLV, adjustable braided headbands and soft inner face-seal ring. Suggested applications: Construction, Pharmaceuticals, Welding and soldering, Chemical Processing.
Sold: 5 per box or 50 per case

M8835

3M Science.
Applied to Life.™



9913

Type: FFP1. Maximum usage level: 12 x TLV. Suggested applications: welding, brazing, soldering, torch-cutting, metal pouring, grinding, sanding, sweeping, bagging & other dusty and hot operations.
Sold: 20 per box or 100 per case

M9913

3M Science.
Applied to Life.™



9914

The disposable valved FFP1 is lightweight, effective, comfortable and hygienic against dust, mist and nuisance level organic vapour. Suggested applications: Grinding, sanding, asbestos or welding.
Sold: 10 per box or 100 per case

M9914

3M Science.
Applied to Life.™



9915

Type: FFP1. Maximum usage level: 4 x TLV. Suggested applications: foundry operations, lab settings, agriculture, petrochemical manufacturing & undercoating.
Sold: 20 per box or 100 per case

M9915

3M Science.
Applied to Life.™



9922

The disposable valved FFP2 is lightweight, effective, comfortable and hygienic against dust, mist and nuisance level organic vapour. Suggested applications: Grinding, sanding, asbestos or welding.
Sold: 10 per box or 100 per case

M9922

3M Science.
Applied to Life.™



9925

Type: FFP2. Maximum usage level: 12 x TLV where ozone is present. Suggested applications: welding, brazing, soldering, torch-cutting, metal pouring, grinding, sanding, sweeping, bagging & other dusty and hot operations.
Sold: 10 per box or 80 per case

M9925

3M Science.
Applied to Life.™



9926

Type: FFP2. Maximum usage level: 12 x TLV. Suggested applications: foundry operations, lab settings, agriculture, petrochemical, manufacturing & undercoating.
Sold: 10 per box or 100 per case

M9926

3M Science.
Applied to Life.™



UVEX K1

SNR 28 dB. Easy length adjustment. Memory foam padded headband for optimal comfort. Designed to be lightweight with a small capsule.

Sold: Individually or 20 per case

2600001
uvex

UVEX K1 H

SNR 27 dB. Soft ear cushions adapt to surface and head shape to ensure optimal comfort. 360° rotation for standby and resting positions. Suitable for the following uvex safety helmets: uvex pheos B-WR, uvex pheos alpine.

Sold: Individually or 20 per case

2600201
uvex



UVEX K2

SNR 32 dB. Easy length adjustment. Memory foam padded headband for optimal comfort. Extra soft memory foam ear cushions. Designed to be lightweight with a small capsule.

Sold: Individually or 20 per case

2600002
uvex

UVEX K2 H

SNR 30 dB. Wearer comfort guaranteed thanks to extra soft memory foam ear cushions, even when worn for long periods. 360° rotation for standby and resting positions. Suitable for the following uvex safety helmets: uvex pheos B-WR, uvex pheos alpine (additional adapter systems for combination with safety helmets).

Sold: Individually or 20 per case

2660202
uvex



UVEX K3

SNR 33 dB. Easily adjustable for a perfect fit. Memory foam padded headband for optimal comfort. Wearer comfort guaranteed thanks to extra soft memory foam ear cushions, even when worn for long periods.

Sold: Individually or 20 per case

2600003
uvex



UVEX K4

SNR 33 dB. Easily adjustable for a perfect fit. Memory foam padded headband for optimal comfort. Wearer comfort guaranteed thanks to extra soft memory foam ear cushions, even when worn for long periods.

Sold: Individually or 20 per case

2600004
uvex



UVEX XACT-FIT

SNR 26 dB. Get the best of both: the reusable cord and applicator will save your company money whilst the hygienic replaceable PU foam earplugs are hygienic and prevent infections. Applicators designed to the shape of the ear canal and have thumb indentations which make it quick and easy to insert or remove.

Sold: 50 per pack

2124001 (Corded)
2124002 (Refill)
uvex



UVEX WHISPER HEADBAND

SNR23dB. Locally manufactured in South Africa. Banded hearing protection.

Sold: 20 per pack or 200 per case

E2125320
uvex



UVEX ONE-FIT

SNR 31 dB. Ergonomically pre-shaped disposable earplugs.
Size: M/L
Sold: 200 per pack or 6000 per case

2112046
uvex



UVEX COM4-FIT

SNR33dB. Compact, ergonomic design is perfect for wearers with narrow ear canals. Pheos alpine (additional adapter systems for combination with safety helmets and pheos alpine (additional adapter systems for combination with safety helmets and wearing comfort, even when worn for long periods. x-grip makes it easy to remove the earplugs.
Sold: 200 per pack or 6000 per case

2112004 (Uncorded)
2112012 (Corded)
2112006 (Refill Bag)
uvex



UVEX X-FIT

SNR 37 dB. Ergonomically pre-shaped disposable earplugs. Suitable for use in canal. Extremely loud environments. Patented x-grip technology reduces pressure in the ear x-grip makes it significantly easier to remove the earplugs.
Sold: 50 per pack

2112001 (Uncorded)
E2112010 (Corded)
2112-003 (Bag)
uvex



UVEX WHISPER

SNR23dB. Locally manufactured in South Africa. Smooth, dirt-repellent surface can be easily cleaned using soap and water. With the cord the earplugs are conveniently at hand, whenever required. In low-noise areas, the earplugs can be worn comfortably around the neck. Hygienic storage in an individual carrying case.
Sold: 50 per pack or 500 per case

E2111200 (Corded)
2111300 (Detectable)
uvex



UVEX WHISPER SUPREME

SNR30dB. Reusable earplugs with high sound absorption. Long ridges for high noise insulation. Soft, smaller earplug stem ensures optimum wearer comfort. Storage in earplug box. Manufactured using TPE (latex and silicone free) resulting in protection that poses little risk of irritations in the ear canal.
Sold: 100 per pack or 1000 per case

E2111700
uvex



UVEX X-CLUSION

SNR27dB. Locally manufactured in South Africa. Corded reusable ear plug. Duo-flange and slim for a comfortable fit. Blue PVC cord.
Sold: 100 per pack or 1000 per case

E2111600
uvex



THUNDER

These earmuffs are designed with all-day comfort in mind and feature a unique dual headband for better positioning and breathability. Its dielectric construction withstands use and abuse.

Sold: Individually

1010929



EARMUFFS

The dielectric QM24+® is an ultra-lightweight, three-position earmuff designed for extended wear at a valued price. Features an adjustable crown strap for a secure fit. Soft foam cushions are easy to clean.

Sold: Individually



LASER LITE

This multi coloured earplug is non-irritating, non-allergic, self-adjusting foam recovers to fit virtually any ear canal. This is ideal for that portion of the population with smaller ear canals. Available in Corded and uncorded

Sold: Per pair or 100 per box



QUIET

Easy to handle and fit in the ear canal, insertion is quick and easy. Contoured shape comfortably matches contours of the ear canal. Provides all day comfort, easy to clean for long term use. SNR28

Sold: Per pair or 50 per box or 500 per case



SMARTFIT

Easy to handle and fit in the ear canal, insertion is quick and easy. Contoured shape comfortably matches contours of the ear canal. Provides all day comfort, easy to clean for long term use. SNR28

Sold: Per pair or 100 per box



REUSABLE EARPLUGS

This re-usable earplug has a soft detachable cord that is easy to fit into the ear with high visibility fluorescent colours that can easily be detected. Application: Machining, Grinding, Woodwork.

Sold: Per pair or 200 per box or 2000 per case



EARPLUGS

Disposable corded foam earplugs, PU-coated for hygiene that is smooth and soft for comfort. Very easy to use, high visibility and expands to fit the ear canal.

Sold: Per pair or 200 per pack or 2000 per case



J-MUFF

Designed with comfort in mind, lightweight and a robust design. Self-adjusting ABS cups and with soft foam cushions for all day comfort. It is suitable for light industrial duty and outdoor construction. This can be used under a hard hat or around the neck. SNR 24db. Applications: Machining, grinding, Steel cutting or Woodwork.

Sold: Individually or 48 per case



OPTIME CAP-MOUNT EARMUFFS

This cap-mount earmuff fits onto most hard hats with a noise level up to 101 dBA. The recommended industry is construction, mining, transportation.
Sold: Individually or 10 per box

H9P3E

3M Science.
Applied to Life.™



OPTIME EARMUFFS

This earmuff has been developed for demanding noisy environments and muffles even extremely low frequencies to a maximum degree. Suitable for substantial industrial noise or construction machinery.
Sold: Individually or 10 per box

H9A

3M Science.
Applied to Life.™



PELTOR CAP-MOUNT EARMUFFS

For noise levels up to 105 dBA, these cap attached with double-shell technology to provide effective hearing protection - Proprietary Twin-Cup(TM) design has soft, foam-filled earmuffs. Easy cap-mount design. Earcup pivot points that tilt for optimum comfort and efficiency. Liquid/foam filled earmuff cushions. Color-coding to help match attenuation needs.
Sold: Individually or 10 per box

H10P3E

3M Science.
Applied to Life.™



PELTOR EARMUFFS

This Peltor over-the-head earmuff provides effective hearing protection up to 105dBA. The Double-shell technology boosts its noise blocking ability. This durable stainless steel. Headband resists bending and warping. Noise Reduction Rating of 30dB, highest available in attachment style earmuff.

Sold: Individually or 10 per box

H10A

3M Science.
Applied to Life.™



E-A-R CLASSIC

Foam earplugs with slow recovery, low pressure foam conforms to the shape of the ear canal for enhanced comfort and wearability. Moisture-resistance helps maintain a consistent expansion time, even in humid environments. Flame resistance is important for potential arc flash situations and for storage considerations. Available in pillow pack or poly bag.

Sold: Per pair or 10 per pack or 2000 per case

310-1101 (Corded)
310-1001 (Uncorded)



E-A-R SOFT

Soft, pliable foam offers comfort for wearing over an extended time and low-pressure foam makes plugs less noticeable. Earplugs are easy to roll down for quick and easy insertions equipped with a poly bag to keep each pair of earplug clean before use.

Sold: Per pair or 10 per pack or 2000 per case

312-1201



E-A-R SOFT NEON

Soft, pliable foam offers comfort for wearing over an extended time and low-pressure foam makes plugs less noticeable. Earplugs are easy to roll down for quick and easy insertions equipped with a poly bag to keep each pair of earplug clean before use.

Sold: Per pair or 200 per pack or 2000 per case

311-1250



POD PLUGS

Soft, pliable foam offers comfort for wearing over an extended time and low-pressure foam makes plugs less noticeable. Earplugs are easy to roll down for quick and easy insertions equipped with a poly bag to keep each pair of earplug clean before use.

Sold: Per pair or 400 per case

311-1114



DISPOSABLE EARPLUGS

The uncorded disposable earplug suitable for SNR37 decibels. They are easy to insert and very comfortable.

Sold: Per pair or 200 per pack or 1000 per case

E1100 (Corded)
E1110 (Uncorded)




ULTRAFIT

This reusable corded earplug is suitable for SNR32 decibels. It is very comfortable and includes a storage case.

Sold: Per pair or 200 per case

340-4002
340-4004 (Packaged)
340-4007 (Detectable)





HEAT RESISTANT

This 20 cm elbow length glove is made for heat resistant applications such as welding. It is durable with Kevlar stitching and fully lined.

Size: 10

Sold: Individually



GREEN LINED 8"

This is an 8 inch leather glove for welding applications. Heat resistant up to 230 degrees celcius and very durable.

Size: 10

Sold: Individually



GREEN GLOVE 2"

This is a 2 inch leather glove for welding applications. Heat resistant up to 230 degrees celcius and very durable.

Size: 10

Sold: Individually



GREEN LINED

This is a 8 inch leather glove with reinforced palm and knuckle for welding applications. Heat and spark resistant and very durable

Size: 10

Sold: Individually



WELDER BLUE

This is a 35cm leather glove with reinforced strip for welding applications. Heat and spark resistant. Very durable.

Size: 10

Sold: Individually



CHROME LEATHER 16"

This is a 16 inch chrome leather glove for welding applications. Resistance to sparks and very durable.

Size: 10

Sold: Individually





SUPERIOR

This superior top quality grain leather glove has a palm lined with cotton and a canvas safety cuff.

Size: 10

Sold: Individually



PIG SKIN REFLECTIVE

Pig skin grain leather glove with a canvas back and a cotton canvas cuff. It also has reflective stripes over the knuckle for extra visibility.

Size: 10

Sold: Individually



MSAFE

This freezer glove has fur-lined inner with a yellow leather canvas back and a cotton canvas safety cuff.

Size: 10

Sold: Individually



LEATHER CANDY STRIPE

This is a mechanical glove made of cow split leather with canvas back and a cotton canvas safety cuff.

Size: 10

Sold: Individually



PIGSKIN CANDY STRIPE

Pig skin grain leather glove with a canvas back and a cotton canvas cuff.

Size: 10

Sold: Individually



FREEZER CANDY STRIPE

This is a mechanical glove made of leather with canvas back and a cotton canvas safety cuff.

This has a fur-lined inner.

Size: 10

Sold: Individually



EXEC COW LEATHER

This mechanical executive cowhide grain leather glove has a reinforced palm and thumb. The glove has a canvas safety cuff

Size: 10

Sold: Individually



EXEC LEATHER GLEX

This mechanical executive grain leather glove has a reinforced palm and thumb. The glove has a canvas safety cuff and is very durable. Size: 10
Sold: Individually



GTIG

This mechanical executive pigskin leather glove and has an inside elastic on the back. This soft nappa leather is very comfortable.
Size: 10
Sold: Individually



CRAYFISH

This abrasion resistant glove has a great grip and is lined with a polycotton knitted glove, dipped in rubber latex on the palm.
Size: 10
Sold: Individually



REVERSABLE POLKA DOT

This ladies cotton canvas PVC dotted is a general purpose handling gloves. Comfortable and durable.
Sizes: One size fits all
Sold: Individually



COTTON CROCHET

This lightweight knitted cotton crochet glove is for general purpose dry handling for limited applications.
Size: 10
Sold: Individually



COMAREX KNIT WRIST

This is a Natural Rubber fully dipped glove that comes standard in wrist length with a knitted cuff, it has a Crinkle hand finish with a drill fleece liner
Sold: Individually



COMAREX

This mechanical Comarex latex coated glove is elbow length and has a soft jersey lining. It has a rough finish for extra grip.
Size: 10
Sold: Individually



PVC KWR

This Mechanical medium weight smooth finish glove and has a wrist knit cuff. It is a chemical and acid resistant glove.
Size: 10

Sold: Individually



PVC OPEN CUFF 4"

This Mechanical medium weight smooth finish glove is 4 inches wrist length. It is a chemical and acid resistant glove.

Size: 10

Sold: Individually



PVC 8"

This Mechanical medium weight smooth finish glove is 8 inches elbow length. It is a chemical resistant glove and can be used in bio-waste applications.

Size: 10

Sold: Individually



ELBOW LENGTH

This mechanical PVC heavy weight glove has a rough finish. It is elbow length.

Size: 10

Sold: Individually



BLACK CHIP PALM

This mechanical PVC extra heavy duty glove has a black chip palm and a knit wrist cuff.

Size: 10

Sold: Individually



BLACK ROUGH PALM 4"

This mechanical 4 inch rubber latex chemical glove has a rough palm finish for a better grip. It has a rolled safety cuff and is shoulder length. Can be use in bio-waste applications.

Size: 10

Sold: Individually



BLACK ROUGH PALM 8"

This mechanical 8 inch rubber latex chemical glove has a rough palm finish for a better grip. It has a rolled safety cuff and is shoulder length. Can be use in bio-waste applications.

Size: 10

Sold: Individually



MAXIFLEX CUT 3

Super light and ultra thin coating for ultimate flexibility and dexterity. Very high abrasion resistance, keeps hands dry and cool. Silicone free.

Sizes: 6-12

Sold: Per pair or 12 per bag or 72 per case

34-874



EN 388 4331



MAXIFLEX ULTIMATE

The glove is fully coated and super light and ultra thin coating for ultimate flexibility and dexterity. Very high abrasion resistance, keeps hands dry and cool. Silicone free.

Sizes: 5-12

Sold: Per pair or 12 per bag or 144 per case

34-876



EN 388 4131



MAXIFLEX ADAPT

This glove has a nitrile coating, is silicone free, lightweight and palm coated. The liner is a seamless nylon with lycra, and very comfortable and durable.

Sizes: 5-12

Sold: Per pair or 12 per bag or 144 per case

42-874



EN 388 4121



MAXICUT 3

The glove is a dry cut 3 and super light and ultra thin coating for ultimate flexibility and dexterity. Very high abrasion resistance, keeps hands dry and cool.

Silicone free. Applications: Glass or sharp objects.

Sizes: 6-11

Sold: Per pair or 12 per bag or 72 per case

34-450



EN 388 4131



BLACK ROUGH PALM 16"

GRBRP40

This mechanical 16 inch rubber latex chemical glove has a rough palm finish for a better grip. It has a rolled safety cuff and is shoulder length. Can be use in bio-waste applications.

Size: 10

Sold: Per pair



NITRILE GLOVE

This nitrile glove is designed to deliver optimal results in dry or wet environments. Fully reusable and comfortable. The cotton flock liner combines flexibility of the nitrile film. Applications: Handling harsh chemicals.

Sizes: 6-11

Sold: Per pair

GSN



HOUSEHOLD GLOVE

This yellow rubber latex glove is for household applications and can be reused. Applied to inside treatment to minimise the risk of allergies.

Sizes: S-XL

Sold: Per pair

GRHH



POWDERED LATEX

This non-sterile powdered rubber latex glove is disposable.

Sizes: S-XL

Sold: Per pair

GEXL



POWDER FREE NITRILE

This blue disposable nitrile glove is perfect for increased visibility for food processing and is powder free.

Sizes: S-XL

Sold: Per pair

GNBLL

uvex



PHEOS CX2

Comfortable protection due to directly injected forehead and nose pad. Optimal technology for a perfect and non-slip fit protection due to twist temple. Duo spherical lens provides a perfect field of vision.

Frame Colour: White/Black or Blue/Black or Black/Yellow
Lens: PC Grey or PC Clear or PC Amber

Sold: Individually or 5 per box or 120 per case



ASTROSPEC

This innovative style and new technology ensures maximum wearer acceptance. Maximum wearer comfort for all faces due to flexible side arms. This secure and pressure free fit can be worn for extended periods Polycarbonated lens with integrated side protectors for optimum coverage of the eyes.

Frame Colour: Black/Yellow or Black/Orange.
Lens: PC Amber or PC Grey or Clear.

Sold: Individually or 5 per box or 120 per case



PHEOS

Modern, fashionably designed safety spectacle. They are rimless with a wide field of vision and a permanent anti-fog on the inside. Extremely scratch resistant on the outside and completely metal free. Can be used indoor/outdoor for changing light conditions.

Frame Colour: Grey or Black/Green or Black/Yellow.
Lens: PC Silver Mirror or Amber or Clear

Sold: Individually or 5 per box or 120 per case



PHEOS S

The smaller version of the Pheos for narrower heads. Modern, fashionable design of safety spectacle. They are rimless with a wide field of vision and a permanent anti-fog on the inside. Extremely scratch resistant on the outside and completely metal free.

Frame Colour: White/Orange or White/Green.
Lens: PC Grey or PC Clear.

Sold: Individually or 5 per box or 120 per case



uvex



I-VO

Comfortable welding spectacles, minimises damages from welding sparks. Soft components around the sensitive parts of the face. The permanent anti-fog coating on the inside of the lens. UV and IR protection. Applications: Gas welding*
Frame Colour: Black/Green or Blue/ Orange
Lens: PC Grey Shade 5 or PC Clear or PC Brown.
Sold: Individually or 5 per box or 200 per case



WRAPAROUND WELDING

Comfortable welding overspec with a pressure-free fit. Indirect ventilation due to special sidearm design. Temple length adjustment. New filter technology. Perfect colour recognition conforms to uvex grey sunglare filters, UV and IR radiation protection, Minimises damage from welding sparks. Application: Gas welding.
Frame: Black/Green
Lens: PC Grey Shade 5 (Available in shades 1.7/3/4/5/6)
Sold: Individually or 75 per case



SKYGUARD NT

This spectacle has an all round protection and a frame with injection molded soft TPU. It protects against liquid droplets, splashes and large dust particles. It is flexible and easy to adjust to the face. Easy, hygienic cleaning due to the separate frame and lens. Frame Colour: Blue/Grey Lens: PC Clear or PC Grey
Sold: Individually or 5 per box or 160 per case



CARBONVISION

Low profile, wrap around design with an innovative frame, strap and material the soft seal protects against dust, splashes and mechanical hazards. Easy and hygienic cleaning due to detachable frame and lens. Excellent anti-fog performance. Frame Colour: Black/Grey Lens: PC Grey or PC Clear
Sold: Individually or 5 per box or 160 per case



DUALMAX

Innovative multifunctional safety spectacle and spoggle, with removable arms, removable temple protection and eyeguards, and additional strap. Patented hinge mechanism for quick lens, strap, temple interchange. Metal free.
Colours: Clear and Smoke
Sold: Individually



MAGNIMAX SPECTACLE

This safety spectacle has a polycarbonated lens with anti-fog on the inside. It also has a bi-focal available in 1.5/2.0/2.5.
Frame: Clear/Grey
Colour: Clear/Smoke
Sold: Individually



SPORTMAX SPECTACLE

This safety spectacle has a polycarbonated lens with anti-fog on the inside and anti-scratch treatment on the outside.
Frame: Grey
Colour: Clear/Smoke/Green/Amber
Sold: Individually or 144 per case



NUMAX SPECTACLE

This safety spectacle has a polycarbonated lens, with anti-fog on the inside and anti-scratch treatment. It also has adjustable temples that are in/out and up/down. There is also a soft nose piece for extra comfort.
Frame: Blue
Colour: Smoke/Green/Clear/Amber.
Sold: Individually or 144 per case



COOLMAX SPECTACLE

This spectacle has a polycarbonated lens with anti-fog on the inside and anti-scratch treatment. It has adjustable temples that are in/out and up/down for a secure, comfortable fit.
Frame: Black/Orange
Colour: Clear/Green/Amber
Sold: Individually



MAXFIT SPECTACLE

This safety spectacle has a polycarbonated lens with anti-fog on the inside. It offers the most secure fit possible with arms that secure to the temple so it cannot slip off.

Frame: Black/Red

Colour: Clear or Smoke/Grey

Sold: Individually or 144 per case

BLACKMAX SPECTACLE

This safety spectacle has a polycarbonated lens, with anti-fog on the inside. It also has adjustable temples that are in/out that provides a secure fit and is comfortable.

Frame: Black.

Colour: Clear/Green/Shade 3/5

Sold: Individually or 144 per case

ECOMAX SPECTACLE

This safety spectacle has a polycarbonated lens with anti-fog on the inside and anti-scratch treatment. It has adjustable temple arms in/out for a secure, comfortable fit.

Great value* Frame: Black Colour: Clear/Green/Smoke/Amber

Sold: Individually or 300 per case

BLUEMAX SPECTACLE

This safety spectacle has a polycarbonated lens with anti-fog on the inside. It has adjustable temple arms in/out for a secure, comfortable fit.

Frame: Blue

Colour: Clear

Sold: Individually or 300 per case

WRAP AROUND SPECTACLE

This wrap around spectacle has a polycarbonated lens, with anti-fog on the inside. It can be worn over most prescription glasses.

Frame: Clear

Colour: Clear/Green

Sold: Individually or 300 per case



GAUZE SPECTACLE

This safety spectacle has a Mesh lens for high humidity areas.
Applications: Sheep sheering and large debris

Frame: Black

Colour: Black mesh

Sold: Individually or 250 per case



GAUZEMAX SPECTACLE

This safety spectacle has a Mesh lens for high humidity areas.
It has adjustable temples. Applications: Large debris

Frame: Blue

Colour: Black mesh

Sold: Individually



MAXVISION GOGGLE

This safety goggle has a polycarbonated lens with anti-fog on the inside. Very comfortable and secure fit. Available with/ without foam.

Frame: Blue

Colour: Clear

Sold: Individually or 12 per box or 96 per case



IMPACT MOUTHSHIELD

This impact mouthshield has a polycarbonated shield and indirect venting. It fits onto the Maxvision Goggle.

Very durable.

Colour: Clear

Sold: Individually or 120 per case



FLIP FRONT WELDING GOGGLE

It has a polycarbonated mono lens with a soft rubber face seal. It allows efficient indirect ventilation. The adjustable headband allows a secure and comfortable fit. It has a anti-scratch and anti-fog lens.

Sold: Individually or 50 per case



MUNICH

A rugged safety boot with advanced comfort engineering. Double density PU sole. Heat resistant up to 95 degrees celcius. Extra wide fitting steel toe cap. Antistatic. Generous styled upper for increased foot space.

Sizes: 5-13
Colours: Black
Sold: Per pair



BREMEN

A comfortable safety shoe with advanced comfort engineering. Double density PU sole. Heat resistant up to 95 degrees celcius. Extra wide fitting steel toe cap. Antistatic. Generous styled upper for increased foot space.

Sizes: 5-13
Colours: Black
Sold: Per pair



CHELSEA

A lace free safety boot, popular in the agricultural sector. Double density PU sole. Heat resistant up to 95 degrees celcius. Available with/without the steel toe cap. Elastic side gussets for extra comfort. Antistatic.

Sizes: 3-13
Colours: Black and Brown
Sold: Per pair



HIKER

An ultra comfortable safety boot in supple leather. Perfect for work and recreation. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Extra wide fitting steel toe cap for comfort.

Sizes: 5-13
Colour: Black and Walnut
Sold: Per pair



NEOFLEX

A high wearing safety boot with all leather upper and bellows tongue. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Energiser top sock for additional comfort.

Sizes: 3-15

Colour: Black and Walnut

Sold: Per pair



ADAPT

A durable entry level safety boot. Single density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Energiser top sock for additional comfort. Sizes: 5-13 Colour: Black

Sold: Per pair



MAVERICK

Durable safety boot with genuine leather upper. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Energiser top sock for additional comfort. Sizes: 4-13 Colour: Black

Sold: Per pair



TRAINER

A versatile lace up safety shoe in a comfy sport style. Double density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Padded tongue and collar for extra comfort. Sizes: 4-12 Colour: Black

Sold: Per pair



SMELTERS VELCRO

A kevlar lined boot for smelting environments with velcro straps. Double Density PU/Rubber sole. Heat resistant up to 300 degrees celcius. Aluminum toe cap. Non-conductive. The vamp lining and the quarter padding are cut from a special Kevlar blend to reflect heat away from the foot.

Sizes: 4-13

Colour: Black

Sold: Per pair



Propane

Tumbled Full Grain
100% post industrial recycled lining
Cushioned foam footbed.
100% post industrial recycled sock lining with CLEANSPOORT NXT pro-biotic odor control
Resilient foam cushioning midsole
Durable rubber outsole + SRX for extreme slip resistance
Cement construction
Technologies: CLEANSPOORT NXTM, SRX: Extreme Slip Resistance, EN, Slip Resistant (SR)



CROSS TAIL

WP Nubuck
Soft, breathable nylon mesh lining
Soft, breathable nylon mesh sock lining
Durable rubber outsole for traction
Cement construction
Technologies: Waterproof (WP), EN, Steel Toe (ST), Slip Resistant (SR), Puncture Resistant (PR), SRA, Heat Resistant Outsole (HRO), S3, Water Resistant (WR)



DIAGNOSTIC

WP Full Grain Leather
100% post-industrial recycled lining
Cushioned foam footbed.
100% post-industrial recycled sock lining with CLEANSPOORT NXT pro-biotic odour control
Resilient foam cushioning midsole
Durable rubber outsole + SRX for extreme slip resistance
Cement construction
Technologies: CLEANSPOORT NXTM, SRX: Extreme Slip Resistance, Waterproof (WP), EN, Steel Toe (ST), Slip Resistant (SR)



FRAMEWORK ST S3 WR HRO SRA / STEEL TOE

WP Full Grain Leather
Soft, breathable nylon mesh lining
Soft, breathable nylon mesh sock lining
Durable rubber outsole for traction
Cement construction
Technologies: Waterproof (WP), EN, Steel Toe (ST), Slip Resistant (SR), Puncture Resistant (PR), SRA, Heat Resistant Outsole (HRO), S3, Water Resistant (WR)



LEMAITRE



EAGLE

The sole is made up of dual density polurethane (PU) with a thermoplastic polurethane (TPU) insert which gives maximum support on the arch of the foot and ankle. It has an extra wide steel toe cap.

Sizes: 5 -12

Colour: Black/Grey

Sold: Per pair



HAWK

The sole is made up of dual density polurethane (PU) with a thermoplastic polurethane (TPU) insert which gives maximum support on the arch of the foot and ankle. It has an extra wide steel toe cap.

Sizes: 5-12

Colour: Black/Grey

Sold: Per pair



ODYSSEY

The sole and midsole is made up of PU to allow extra comfort. The curve in the sole allows "spring" by absorbing the pressure of a persons weight. It has an extra wide and high steel toe cap for comfort. Sizes: 5-12

Colour: Brown

Sold: Per pair



APOLLO

The sole is specifically designed for maximum slip resistance. It is designed for maximum surface contact but maximises the slip resistance. Has a wide steel toe cap for comfort.

Sizes: 2-12

Colour: Black

Sold: Per pair



LEMAITRE



ZEUS

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The boot has a wide steel toe cap for comfort.

Sizes: 3-13

Colours: Black and Brown

Sold: Per pair



EROS

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The shoe has a wide steel toe cap for comfort.

Sizes: 5-12

Colours: Black and Brown

Sold: Per pair



MAXECO

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The shoe has a wide steel toe cap for comfort.

Sizes: 2-13

Colours: Black and Tan

Sold: Per pair



ROBUST

The sole is designed for general use and applications. Has a built in arch support for long hours on your feet. Offers superior slip resistance. The shoe has a wide steel toe cap for comfort.

Sizes: 2-13

Colours: Black and Tan

Sold: Per pair



SAFETY FOOTWEAR



MADONNA

This women's shoe has single density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Four pair eyelet lace up.
Sizes: 3-8
Colour: Black
Sold: Per pair



NICOLE

This women's shoe has dual density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Four pair eyelet lace up. Recommended for women with broader feet. Featuring an SRC slip resistance sole which offers great slip resistance.
Sizes: 2-9
Colour: Black
Sold: Per pair



COURT

This women's shoe has single density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Padded quarter for extra comfort.
Sizes: 2-9
Colour: Black
Sold: Per pair



REESE

This women's shoe has dual density PU sole. Heat resistant up to 95 degrees celcius. Antistatic. Seven pair eyelet lace up.
Sizes: 3-8
Colour: Black
Sold: Per pair

REBEL

SAFETY GEAR



CRAZY HORSE BOOT

The Crazy Horse boot is ISO 20345 approved. This stylish Workboot offers you an easy slip-on solution with supreme comfort. A high quality, premium leather is used, while safety features include steel toe cap, anti-static, oil resistance and heat resistance.

Sizes: 4-13

Colour: Desert Brown

Sold: Per pair



THERMOTRACK HI

This CE 20345 approved safety boot for high temperature applications of 300 deg C has a rubber outsole with PU midsole. In addition the sole is oil and solvent resistant and has excellent abrasion properties. The upper has a leather spat for protection against welding and grinding sparks with an internal velcro system and quick release snap buckle.

Sizes: 3-14

Colour: Black

Sold: Per pair



HIKER HI

High quality waxy leather upper, lightweight dual density PU sole. Ultra comfortable inner sole. Maxi grip outer sole for slip resistance. Rustproof brass d-rings.

Sizes: 3-13

Colour: Black and Tan

Sold: Per pair



CHUKKA BOOT

Highly durable full leather upper. Lightweight dual density PU sole. Ultra comfortable inner sole. Maxi grip outer sole for slip resistance. Rustproof brass d-rings.

Sizes: 2-16

Colour: Black

Sold: Per pair



DYNAPRO

This CE 20345 approved safety shoe with composite toecap has a phylon mid-sole with rubber outsole, which is anti-static, oil and solvent resistant, and has great abrasion resistance. The extra thick PU innersole also has additional memory foam and Poron insert for supreme comfort. The upper is a woven flyknit woven mesh with a TPU re-inforced toe and counter.

Sizes: 4-13

Colour: Grey

Sold: Per pair



EGOLI ANKLE LACE UP

PVC uppers for durability and abrasion resistance. Waterproof gusset. PVC/ nitrile sole for protection against fats, oils & chemicals. Nylon liner for easy cleaning and quick drying. Optimal toe spring for walking and kneeling.
Sizes: 5-12
Colour: Black upper with Toffee sole
Sold: Per pair



EGOLI KNEE LENGTH BOOTS

Knee length boots. PVC uppers for flexibility & abrasion resistance. Gusset. PVC/ nitrile sole for protection against fats, oils & chemicals. Nylon liner for easy cleaning and quick drying. Optimal toe spring for walking and kneeling.
Sizes: 3-14
Colour: Black upper/Toffee sole, Yellow upper/Black sole, Green upper/Toffee sole
Sold: Per pair



GRIPPER KNEE LENGTH BOOTS

PVC uppers for optimum flexibility and abrasion resistance
Available with or without steel toe cap
PVC sole for durability
The cleated sole design provides maximum slip resistance
Nylon liner allows for easy cleaning and quick drying resulting in maximum hygiene
Optimal toe-spring for walking and kneeling
Sizes: 3 – 13
Colours: Black upper/ Black sole



DURALIGHT

PVC uppers for optimum flexibility and abrasion resistance. Durable PVC sole. Lightweight for enhanced comfort & reduced fatigue. Nylon liners for easy cleaning and quick drying. No steel toe cap.
Sizes: 5-12
Colours: Black upper/Black sole and Green upper/Black sole
Sold: Per pair



DURALIGHT - MENS

PVC uppers for optimum flexibility and abrasion resistance. Lightweight for enhanced comfort and reduced fatigue. SABS. Nitrile sole protects against fats, oils and chemicals. Nylon liners for easy cleaning and quick drying. No steel toe cap. Sizes: 5-12 Colour: White upper/White sole or White upper/Red sole
Sold: Per pair



DURALIGHT- LADIES

PVC uppers for optimum flexibility and abrasion resistance. Durable PVC sole. Lightweight for enhanced comfort and reduced fatigue. Nylon liners for easy cleaning and quick drying. No steel toe cap.
Sizes: 3-9
Colours: Black upper/Black sole, Blue upper/White sole, Green upper/Black sole
Sold: Per pair



DURALIGHT - LADIES

PVC uppers for optimum flexibility and abrasion resistance. Lightweight for enhanced comfort and reduced fatigue. SABS. Nitrile sole protects against fats, oils and chemicals. Nylon liners for easy cleaning and quick drying. No steel toe cap. Sizes: 5-12 Colour: White upper/Red sole or White upper/White sole
Sold: Per pair



TYVEK® 500 XPERT

CE Certified, CAT III. Type 5/6 limited use, disposable overall. High liquid and particulate protection yet excellent breathability and comfort. Robust lightweight 180g garment with elasticated face, wrist, waist and ankles. Suitable in pharmaceutical handling, chemical processing, oil & gas industry, general maintenance, automatic spray painting and a variety of low risk applications. Sizes: S-XXXL

Sold: Individually or 100 per case



TYVEK® 600 PLUS

CE Certified, CAT III. Type 4 limited use, protective chemical suit. Elasticated hood, wrist, ankles and waist with thumb loops and self adhesive chin flap for tight mask seal. A robust comfortable 250g garment suitable for maintenance and dismantling jobs in the nuclear industry, pharmaceutical manufacturing and biosecurity laboratories as well as exposure to biological hazards. Sizes: S-XXXL

Sold: Individually or 100 per case



RHINO EASYSAFE

CE Certified, CAT III. Type 5/6 limited use, disposable overall. Elasticated face, ankle, wrist and waist. Excellent breathability but limited to non-hazardous use and limited liquid sprays, radioactive particulates. Typically used for protection against particulates (Type 5). Sizes: S-XXXL.

Sold: Individually or 100 per box



INYATHI MPF

Hooded coverall with elasticated cuffs and ankles, waistband and zipper flap. Ideal choice for workers seeking protection against dirt and grime during light duty/ non-hazardous work and other industries.

Sizes: S-XXXL

Sold: Individually or 100 per case



DISPOSABLE

Non-woven disposable overall is 50gsm polypropylene and elatisized. Limited use for particulate protection. Elasticated hood, wrist and ankles.

Sizes: M-XXXL

Sold: Individually

DISP1L



TYCHEM® 4000S

CE Certified, CAT III. Type 4 limited use, protective chemical suit. Offers a barrier to more than 100 chemicals. Double zip, double cuff system enhances overall protection. Elasticated face, wrist, ankles and waist. Self-adhesive chin flap for tight seal for face mask. Suitable for chemical handling, environmental clean-up & emergency response. Used in oil & gas industry, chemical engineering and hazardous material response teams. Multiple use, single exposure
Sizes: S-XXXL.

Sold: Individually or 25 per case

D15193



TYCHEM® 6000F

CE Certified, CAT III. Type 3 single use protective chemical overall. Hooded coverall in grey for discretionary needs. Elasticated face, wrists, waist and ankles with thumb loops. Self adhesive chin flap for tight face seal on masks. Broad range application including petrochemical, military, chemical spill clean-up and emergency response.
Sizes: S-XXXL.

Sold: Individually or 20 per case

CSTYCHA5



TYCHEM® 6000F PLUS

CE Certified, CAT III. Type 3 limited use protective chemical overall. Hooded coverall in grey. Stitched and over-taped seams. Double cuffs, knitted inner cuffs. Thumb loops and elastication at wrists, ankles, face and waist. Double zippers and double flaps. Outer flap with adhesive tape. Suitable for splash or pressurised splash, pulp and paper industries, chemical and pharmaceutical. Also possible to use in chemical spill clean-up, emergency response and petrochemical applications. Multiple use, single exposure.
Sizes: M - XXXL.

Sold: Individually or 10 per case

CSTYCHA6



TYCHEM® 2000C

CE Certified, CAT III. Type 3 single use protective chemical overall. Hooded Hi-Viz yellow coverall. Elasticated wrist, face, waist and ankles. Thumb loops and self-adhesive chin flap for seal on face-masks. Splash or pressurised splash protection for use in a variety of environments including, food and chemical processing, pharmaceutical manufacturing, pulp and paper industries.
Sizes: S-XXXL

Sold: Individually or 25 per case

CSTCHA





TYVEK® 800 J

CE Certified, CAT III. Type 3 limited use, protective chemical suit. Effective barrier against low-concentration, water-based inorganic chemicals under pressure, small sized hazardous particles and oil repellency. Soft lightweight, permeable fabric to air and water vapour. Ergonomic, robust lightweight garment. Typical applications: Industrial cleaning, mining, petrochemical installations, sewers and maintenance operations.

Sizes: S-XXXL

Sold: Individually or 80 per case

D151726



TYVEK® 500 LABCOAT

CE Certified, CAT III. White labcoat with no pockets. 5 press stud closure. Elasticated cuffs and internal stitching.

Sizes: M-XXL

Sold: Individually or 50 per case

PL30NP



TYVEK® 500 ANTI-SLIP OVERSHOE POSA

White laboratory overshoe with elasticated ankle and internal stitching and slip retardent sole.

Sizes: 36-46.

Sold: Individually or 20 per pack or 200 per case

TYVPOSAS



uvex



TYPE 5/6 CLASSIC

Industrial cleaning and the handling of paints, varnishes and chemicals lead to very specific requirements for personal protective clothing. In these and many other situations, the uvex 5/6 classic disposable coveralls offer reliable protection with first-class comfort.

Sizes: S-XXXL.

Sold: Individually



UVEX 3B CLASSIC

The highly effective barrier created by the extremely durable material combined with ultrasonically welded and taped seams provides maximum safety. Properties: Impervious to liquids. Protection against a wide range of chemicals. Extremely light and durable material. Skin friendly due to the soft-textured nonwoven on the inside. Elasticated waistband for a perfect fit. Maximum freedom of movement. Middle finger loops prevent sleeves sliding up the arm. Self-adhesive zipper flap for optimum protection. Comfortable zip puller to ease of use. Protection against pathogens. UV Protection Factor UPF 50+.

Sold: Individually or 25 per case



TYPE 4B

The uvex 4B disposable coveralls are safe and breathable at the same time, thanks to the microporous spray-tight spunbond polyethylene laminate. The taped seams provide an outstanding protective seal against liquid aerosols and solid particles, while the spunbond interior fabric ensures that the disposable protective coveralls are comfortable to wear.

Sizes: S-XXXL.

Sold: Individually



FACE SHIELD CLEAR

Head mounted Brow Guard Face Shield with adjustable headband. Clear 1mm acetate lens 350mm X 200mm. Offering impact and liquid splash resistance.
Sold: Individually or 10 per case

SAFE T SHIELD CLEAR

Elasticated head band with foam guard. Clear 1mm acetate lens 350mm X 200mm. Offering liquid splash resistance.
Sold: Individually

SAFETY CAP WITH FACESHIELD VISOR

These faceshield attachments that can be inserted in to the liners of the Athol and Rhino Safety Caps allow workers to continue using head protection with the added benefit of face protection.
Sold: Individually

ALUMINIUM CAP ATTACHMENT

Aluminium frame with a spring system to fit most safety caps and hats. Clear acrylic or acetate lenses fitted on with wing nuts. Strong and lightweight.
Sold: Individually

ALUMINIUM ATTACHMENT GREEN

Aluminium frame with a spring system to fit most safety caps and hats. Green acrylic or acetate lenses fitted on with wing nuts. Strong and lightweight.
Sold: Individually

REPLACEMENT VISOR - CLEAR

Clear 1 - 1.5mm acetate replacement lens for faceshields and cap attachments. Impact and liquid splash protection.
Sold: Individually

REPLACEMENT VISOR - GREEN

Green 1 - 1.5mm acetate replacement lens for faceshields and cap attachments. Impact and liquid splash protection.
Sold: Individually



RATCHET LINER - 4 POINT

Adjustable 4 point ratchet liner for 909 range with tricot sweatband.

Sold: Individually or 40 per pack



RATCHET LINER - 6 POINT

Adjustable 6 point ratchet liner for 806 range with tricot sweatband.

Sold: Individually or 40 per pack



4-POINT LINER

Replacement LDPE 4 point pin lock liner with tricot for the 909 range of safety caps & hats.

Sold: Individually or 150 per pack



6-POINT LINER

Replacement LDPE 6 point pin lock liner with tricot for the 806 range of safety caps & hats.

Sold: Individually or 150 per pack



2-POINT CHIN STRAP

2 point 20mm webbing chin strap with dual anchors for all safety caps & hats.

Sold: Individually or 50 per pack



4-POINT CHIN STRAP

4 point anchor chin strap with quick release clip and break away for all safety caps & hats.

Sold: Individually or 50 per pack



Glove Clip

Adjustable 6 point ratchet liner for 806 range with tricot sweatband.

Sold: Individually or 25 per box